

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	4	(US-6096468-\$ or US-6340216-\$ or US-6126274-\$ or US-6328393-\$).did.	USPAT	OR	OFF	2008/05/20 09:43
S7	1	"10567710"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 09:50
S8	1975	SAITO-KOICHI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:12
S9	0	"SAITO-KOICHI.inv"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:13
S10	1971	SAITO-KOICHI.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:13
S11	1486	SAITO-KOICHI.inv. and @pd<="20020808"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:16
S12	3	SAITO-KOICHI.inv. and @pd<="20020808" and electrostatic and suction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:17
S13	1294	"347"/\$.cls. and electrostatic and suction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:23

S14	167	"347"/\$.ccls. and electrostatic and suction and fluid and discharge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:25
S15	37	"347"/\$.ccls. and electrostatic and suction and fluid and discharge and (nozzle with diameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:25
S16	12	"347"/\$.ccls. and (electrostatic with suction) and fluid and discharge and (nozzle with diameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:26
S17	0	"347"/\$.ccls. and (electrostatic with suction) and fluid and discharge and (nozzle with diameter) and @pd<="20020808"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:26
S18	7	(electrostatic with suction) and fluid and discharge and (nozzle with diameter) and @pd<="20020808"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:28
S19	1	(09/966907).APP.	USPAT; USOCR	OR	OFF	2008/05/13 12:31
S20	1	(09/818529).APP.	USPAT; USOCR	OR	OFF	2008/05/13 12:34
S21	4	("4333086" "4734705").PN. OR ("5278583").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 12:39
S22	2	("4333086" "4734705").PN. OR ("5278583").URPN. and electrostatic and suction	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 12:40
S23	1302	"347"/\$.ccls. and (electrostatic or coulomb) and suction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:44
S24	529	"347"/\$.ccls. and (electrostatic or coulomb) and suction and @pd<="20020808"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:45

S25	7	(electrostatic or coulomb) with suction and fluid and discharge and (nozzle with diameter) and @pd<="20020808"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/13 12:49
S26	11	("5424162" "5451482" "5700617" "5747209" "6063537" "6096468" "6183927").PN. OR ("6346356").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 12:56
S27	7	("5424162" "5451482" "5700617" "5747209" "6063537" "6096468" "6183927").PN. OR ("6346356").URPN. and (electrostatic or coulomb) with suction and fluid and discharge and (nozzle with diameter) and @pd<="20020808"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 12:58
S28	1	((("5424162" "5451482" "5700617" "5747209" "6063537" "6096468" "6183927").PN. OR ("6346356").URPN.) and (electrostatic or coulomb) with suction and fluid and discharge and (nozzle with diameter) and @pd<="20020808"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 12:59
S29	7	("5424162" "5451482" "5700617" "5747209" "6063537" "6096468" "6183927").PN. OR ("6346356").URPN. and (electrostatic or coulomb) with suction and fluid and discharge and (nozzle with diameter) and @pd<="20020808"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:10
S30	1	((("5424162" "5451482" "5700617" "5747209" "6063537" "6096468" "6183927").PN. OR ("6346356").URPN.) and (electrostatic or coulomb) with suction and fluid and discharge and (nozzle with diameter) and @pd<="20020808"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:11

S31	24	(("20010025690" "20020096085" "20020135650" "20030010252" "20030038869" "4554555" "4588998" "4620876" "4700203" "4994110" "5431720" "5462592" "5514208" "5605566" "5622550" "5637138" "5810915" "5879439" "5882390" "6120589" "6261349" "6613136" "6637875").PN. OR ("6899751").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:13
S32	0	((("20010025690" "20020096085" "20020135650" "20030010252" "20030038869" "4554555" "4588998" "4620876" "4700203" "4994110" "5431720" "5462592" "5514208" "5605566" "5622550" "5637138" "5810915" "5879439" "5882390" "6120589" "6261349" "6613136" "6637875").PN. OR ("6899751").URPN.) and (electrostatic or coulomb) with suction and fluid and discharge and (nozzle with diameter) and @pd<="20020808"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:18
S33	0	((("20010025690" "20020096085" "20020135650" "20030010252" "20030038869" "4554555" "4588998" "4620876" "4700203" "4994110" "5431720" "5462592" "5514208" "5605566" "5622550" "5637138" "5810915" "5879439" "5882390" "6120589" "6261349" "6613136" "6637875").PN. OR ("6899751").URPN.) and (electrostatic or coulomb) with suction and fluid and discharge and (nozzle with diameter) and @pd<="20020808"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:19

S34	0	((("20010025690" "20020096085" "20020135650" "20030010252" "20030038869" "4554555" "4588998" "4620876" "4700203" "4994110" "5431720" "5462592" "5514208" "5605566" "5622550" "5637138" "5810915" "5879439" "5882390" "6120589" "6261349" "6613136" "6637875").PN. OR ("6899751").URPN.) and (electrostatic or coulomb) with suction and (fluid and discharge) and (nozzle with diameter) and @pd<="20020808"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:20
S35	0	((("20010025690" "20020096085" "20020135650" "20030010252" "20030038869" "4554555" "4588998" "4620876" "4700203" "4994110" "5431720" "5462592" "5514208" "5605566" "5622550" "5637138" "5810915" "5879439" "5882390" "6120589" "6261349" "6613136" "6637875").PN. OR ("6899751").URPN.) and (electrostatic or coulomb) with suction and (fluid and discharge) and (nozzle same diameter) and @pd<="20020808"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:20
S36	0	((("20010025690" "20020096085" "20020135650" "20030010252" "20030038869" "4554555" "4588998" "4620876" "4700203" "4994110" "5431720" "5462592" "5514208" "5605566" "5622550" "5637138" "5810915" "5879439" "5882390" "6120589" "6261349" "6613136" "6637875").PN. OR ("6899751").URPN.) and (electrostatic or coulomb)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:20

		with suction and (fluid and discharge) and (nozzle) and @pd<="20020808"				
S37	14	("4718340" "5142296" "5182990" "5428380" "5734398" "5801732" "5868075" "5923348" "6152037" "6172689" "6341559").PN. OR ("6470799").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:21
S38	0	((("4718340" "5142296" "5182990" "5428380" "5734398" "5801732" "5868075" "5923348" "6152037" "6172689" "6341559").PN. OR ("6470799").URPN.) and (electrostatic or coulomb) with suction and fluid and discharge and (nozzle with diameter) and @pd<="20020808"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:21
S39	21	("3596275" "3928855" "3949410" "4018383" "4220958" "4314263" "4568946").PN. OR ("4734705").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:22
S40	0	((("3596275" "3928855" "3949410" "4018383" "4220958" "4314263" "4568946").PN. OR ("4734705").URPN.) and (electrostatic or coulomb) with suction and fluid and discharge and (nozzle with diameter) and @pd<="20020808"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:22
S41	28	("3060429" "3553719" "3750564" "3787879" "3911448" "4263601").PN. OR ("4333086").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:23
S42	0	((("3060429" "3553719" "3750564" "3787879" "3911448" "4263601").PN. OR ("4333086").URPN.) and (electrostatic or coulomb) with suction and fluid and discharge and (nozzle with diameter) and @pd<="20020808"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:23
S43	16	("5300387" "5738966" "5776647" "5863692" "5948582" "5948584").PN. OR ("6096468").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:24

S44	7	("5300387" "5738966" "5776647" "5863692" "5948582" "5948584").PN. OR (("6096468").URPN.) and (electrostatic or coulomb) with suction and fluid and discharge and (nozzle with diameter) and @pd<="20020808"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/13 13:24
S45	3	("101"/ "466") and ((electrostatic or coulomb) same (suction and fluid and discharge) and (nozzle with diameter))	USPAT	OR	OFF	2008/05/13 13:36
S46	1	(106/31.6) and (electrostatic or coulomb) same (suction and fluid and discharge) and (nozzle with diameter)	USPAT	OR	OFF	2008/05/13 13:38
S47	4	(347/2, S26 "55", "75", "100", "104") and ((electrostatic or coulomb) same (suction and fluid and discharge) and (nozzle with diameter))	USPAT	OR	OFF	2008/05/13 13:39
S48	0	(430/108.3, "110.3", "110.4", "123.5", "137.17") and ((electrostatic or coulomb) same (suction and fluid and discharge) and (nozzle with diameter))	USPAT	OR	OFF	2008/05/13 13:39
S49	4	S45 or S46 or S47	USPAT	OR	OFF	2008/05/13 13:40
S50	1099	(ink or fluid) and (electric with field) and (coulomb or attract or vacuum) and (nozzle) and (insulating or insulation or dielectric) and frequency	USPAT	OR	OFF	2008/05/13 14:25
S51	453	(ink or fluid) and (electric with field) and (coulomb or attract or vacuum) and (nozzle) and (insulating or insulation or dielectric) and frequency and @pd<="20020808"	USPAT	OR	OFF	2008/05/13 14:37

S52	13	((ink or fluid) and (electric with field) and (coulomb or attract or vacuum) and (nozzle) and (insulating or insulation or dielectric) and frequency and @pd<="20020808") and (("25" or "24" or "23" or "22" or "21" or "20" or "19" or "18" or "17" or "16" or "15" or "14" or "13" or "12" or "11" or "10" or "9" or "8" or "7" or "6" or "5" or "4" or "3" or "2" or "1") with (".mu.m" or micrometer or (micro adj meter)))	USPAT	OR	OFF	2008/05/13 14:53
S53	4	((ink or fluid) and (electric with field) and (coulomb or attract or vacuum) and (insulating or insulation or dielectric) and frequency and @pd<="20020808") and (("25" or "24" or "23" or "22" or "21" or "20" or "19" or "18" or "17" or "16" or "15" or "14" or "13" or "12" or "11" or "10" or "9" or "8" or "7" or "6" or "5" or "4" or "3" or "2" or "1") with (".mu.m" or micrometer or (micro adj meter)) with (nozzle or hole or opening))	USPAT	OR	OFF	2008/05/13 14:55
S54	7	((ink or fluid) and (electric with field) and (coulomb or attract or vacuum) and (insulating or insulation or dielectric) and (frequency)) and (("25" or "24" or "23" or "22" or "21" or "20" or "19" or "18" or "17" or "16" or "15" or "14" or "13" or "12" or "11" or "10" or "9" or "8" or "7" or "6" or "5" or "4" or "3" or "2" or "1") with (".mu.m" or micrometer or (micro adj meter)) with (nozzle or hole or opening or port))	USPAT	OR	OFF	2008/05/13 15:00

S55	41	((ink or fluid) and (electric with field) and (coulomb or attract or vacuum) and (nozzle) and (insulating or insulation or dielectric) and frequency and @pd<="20020808") and (("25" or "24" or "23" or "22" or "21" or "20" or "19" or "18" or "17" or "16" or "15" or "14" or "13" or "12" or "11" or "10" or "9" or "8" or "7" or "6" or "5" or "4" or "3" or "2" or "1") with (".mu.m" or micrometer or (micro adj meter)))	USPAT	OR	ON	2008/05/13 15:14
S56	41	((ink or fluid) and (electric with field) and (coulomb or attract or vacuum) and (nozzle) and (insulating or insulation or dielectric) and frequency and @pd<="20020808") and (("25" or "24" or "23" or "22" or "21" or "20" or "19" or "18" or "17" or "16" or "15" or "14" or "13" or "12" or "11" or "10" or "9" or "8" or "7" or "6" or "5" or "4" or "3" or "2" or "1") with (".mu.m" or micrometer or (micro adj meter)))	USPAT	OR	ON	2008/05/13 15:16
S57	41	((ink or fluid) and (electric with field) and (coulomb or attract or vacuum) and (nozzle) and (insulating or insulation or dielectric) and frequency and @pd<="20020808") and (("25" or "24" or "23" or "22" or "21" or "20" or "19" or "18" or "17" or "16" or "15" or "14" or "13" or "12" or "11" or "10" or "9" or "8" or "7" or "6" or "5" or "4" or "3" or "2" or "1") with (".mu.m" or micrometer or (micro adj meter)))	USPAT	OR	ON	2008/05/13 15:18

S58	8	((ink or fluid) and (electric with field) and (coulomb or attract or vacuum) and (insulating or insulation or dielectric) and frequency and @pd<="20020808") and (("25" or "24" or "23" or "22" or "21" or "20" or "19" or "18" or "17" or "16" or "15" or "14" or "13" or "12" or "11" or "10" or "9" or "8" or "7" or "6" or "5" or "4" or "3" or "2" or "1") with (".mu.m" or micrometer or (micro adj meter)) with (nozzle or hole or port) with (diameter))	USPAT	OR	ON	2008/05/13 16:23
S59	14	(US-5278583-\$ or US-6899751-\$ or US-6470799-\$ or US-4734705-\$ or US-4333086-\$ or US-6096468-\$ or US-6623113-\$ or US-6562099-\$ or US-6513909-\$ or US-5489929-\$ or US-3596275-\$ or US-6340216-\$ or US-6126274-\$ or US-6116718-\$).did.	USPAT	OR	OFF	2008/05/13 16:27
S60	14	((US-5278583-\$ or US-6899751-\$ or US-6470799-\$ or US-4734705-\$ or US-4333086-\$ or US-6096468-\$ or US-6623113-\$ or US-6562099-\$ or US-6513909-\$ or US-5489929-\$ or US-3596275-\$ or US-6340216-\$ or US-6126274-\$ or US-6116718-\$).did.) and (electric or electrostatic) and (ink or fluid or liquid)	USPAT	OR	OFF	2008/05/13 16:30
S61	5	((US-5278583-\$ or US-6899751-\$ or US-6470799-\$ or US-4734705-\$ or US-4333086-\$ or US-6096468-\$ or US-6623113-\$ or US-6562099-\$ or US-6513909-\$ or US-5489929-\$ or US-3596275-\$ or US-6340216-\$ or US-6126274-\$ or US-6116718-\$).did.) and (electric or electrostatic) and (ink or fluid or liquid) and (voltage with drive)	USPAT	OR	OFF	2008/05/13 16:32

S62	0	((US-5278583-\$ or US-6899751-\$ or US-6470799-\$ or US-4734705-\$ or US-4333086-\$ or US-6096468-\$ or US-6623113-\$ or US-6562099-\$ or US-6513909-\$ or US-5489929-\$ or US-3596275-\$ or US-6340216-\$ or US-6126274-\$ or US-6116718-\$).did.) and (electric or electrostatic) and (ink or fluid or liquid) and (voltage with drive) and (nozzle or hole or port or opening) with (("25" or "24" or "23" or "22" or "21" or "20" or "19" or "18" or "17" or "16" or "15" or "14" or "13" or "12" or "11" or "10" or "9" or "8" or "7" or "6" or "5" or "4" or "3" or "2" or "1") with (".mu.m" or micrometer or (micro adj meter)))	USPAT	OR	OFF	2008/05/13 16:35
S63	92	(@pd<="20020808") and (("25" or "24" or "23" or "22" or "21" or "20" or "19" or "18" or "17" or "16" or "15" or "14" or "13" or "12" or "11" or "10" or "9" or "8" or "7" or "6" or "5" or "4" or "3" or "2" or "1") with (".mu.m" or micrometer or (micro adj meter))) with (nozzle or hole or port) with (diameter) and (ink))	USPAT	OR	ON	2008/05/13 16:39
S64	24	(US-5278583-\$ or US-6899751-\$ or US-6470799-\$ or US-4734705-\$ or US-4333086-\$ or US-6096468-\$ or US-6623113-\$ or US-6562099-\$ or US-6513909-\$ or US-5489929-\$ or US-3596275-\$ or US-6340216-\$ or US-6126274-\$ or US-6116718-\$ or US-6328393-\$ or US-6299941-\$ or US-6277183-\$ or US-6276792-\$ or US-6184268-\$ or US-5764247-\$ or US-4801955-\$ or US-4801954-\$ or US-4673951-\$ or US-4364057-\$).did.	USPAT	OR	OFF	2008/05/14 08:46

S65	0	((US-5278583-\$ or US-6899751-\$ or US-6470799-\$ or US-4734705-\$ or US-4333086-\$ or US-6096468-\$ or US-6623113-\$ or US-6562099-\$ or US-6513909-\$ or US-5489929-\$ or US-3596275-\$ or US-6340216-\$ or US-6126274-\$ or US-6116718-\$ or US-6328393-\$ or US-6299941-\$ or US-6277183-\$ or US-6276792-\$ or US-6184268-\$ or US-5764247-\$ or US-4801955-\$ or US-4801954-\$ or US-4673951-\$ or US-4364057-\$).did.) and (@pd<="20020808") and (("25" or "24" or "23" or "22" or "21" or "20" or "19" or "18" or "17" or "16" or "15" or "14" or "13" or "12" or "11" or "10" or "9" or "8" or "7" or "6" or "5" or "4" or "3" or "2" or "1") with (".mu.m" or micrometer or (micro adj meter)) with (nozzle or hole or port) with (diameter) and (ink))	USPAT	OR	OFF	2008/05/14 08:47
S66	10	(US-6328393-\$ or US-6299941-\$ or US-6277183-\$ or US-6276792-\$ or US-6184268-\$ or US-5764247-\$ or US-4801955-\$ or US-4801954-\$ or US-4673951-\$ or US-4364057-\$).did.	USPAT	OR	OFF	2008/05/14 08:50
S67	19	((US-6328393-\$ or US-6299941-\$ or US-6277183-\$ or US-6276792-\$ or US-6184268-\$ or US-5764247-\$ or US-4801955-\$ or US-4801954-\$ or US-4673951-\$ or US-4364057-\$).did.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/14 09:08

S68	6	((US-5278583-\$ or US-6899751-\$ or US-6470799-\$ or US-4734705-\$ or US-4333086-\$ or US-6096468-\$ or US-6623113-\$ or US-6562099-\$ or US-6513909-\$ or US-5489929-\$ or US-3596275-\$ or US-6340216-\$ or US-6126274-\$ or US-6116718-\$ or US-6328393-\$ or US-6299941-\$ or US-6277183-\$ or US-6276792-\$ or US-6184268-\$ or US-5764247-\$ or US-4801955-\$ or US-4801954-\$ or US-4673951-\$ or US-4364057-\$). did.) and ((platen or substrate) same (charge or polarized or attract))	USPAT	OR	OFF	2008/05/15 09:36
S69	4	((US-5278583-\$ or US-6899751-\$ or US-6470799-\$ or US-4734705-\$ or US-4333086-\$ or US-6096468-\$ or US-6623113-\$ or US-6562099-\$ or US-6513909-\$ or US-5489929-\$ or US-3596275-\$ or US-6340216-\$ or US-6126274-\$ or US-6116718-\$ or US-6328393-\$ or US-6299941-\$ or US-6277183-\$ or US-6276792-\$ or US-6184268-\$ or US-5764247-\$ or US-4801955-\$ or US-4801954-\$ or US-4673951-\$ or US-4364057-\$). did.) and ((platen or substrate) same (charge or polarized or attract)) and (insulate or insulation or dielectric)	USPAT	OR	OFF	2008/05/15 10:25
S70	1	((US-5278583-\$ or US-6899751-\$ or US-6470799-\$ or US-4734705-\$ or US-4333086-\$ or US-6096468-\$ or US-6623113-\$ or US-6562099-\$ or US-6513909-\$ or US-5489929-\$ or US-3596275-\$ or US-6340216-\$ or US-6126274-\$ or US-6116718-\$ or US-6328393-\$ or US-6299941-\$ or US-6277183-\$ or US-6276792-\$ or US-6184268-\$ or US-5764247-\$ or US-4801955-\$ or US-4801954-\$ or US-4673951-\$ or US-4364057-\$).	USPAT	OR	OFF	2008/05/15 13:01

		did.) and ((platen or substrate) same (charge or polarized or attract)) and (insulate or insulation or dielectric) and Paschen				
S71	4	((US-5278583-\$ or US-6899751-\$ or US-6470799-\$ or US-4734705-\$ or US-4333086-\$ or US-6096468-\$ or US-6623113-\$ or US-6562099-\$ or US-6513909-\$ or US-5489929-\$ or US-3596275-\$ or US-6340216-\$ or US-6126274-\$ or US-6116718-\$ or US-6328393-\$ or US-6299941-\$ or US-6277183-\$ or US-6276792-\$ or US-6184268-\$ or US-5764247-\$ or US-4801955-\$ or US-4801954-\$ or US-4673951-\$ or US-4364057-\$). did.) and ((platen or substrate) same (charge or polarized or attract)) and (insulate or insulation or dielectric)	USPAT	OR	OFF	2008/05/15 14:04
S72	3	((US-5278583-\$ or US-6899751-\$ or US-6470799-\$ or US-4734705-\$ or US-4333086-\$ or US-6096468-\$ or US-6623113-\$ or US-6562099-\$ or US-6513909-\$ or US-5489929-\$ or US-3596275-\$ or US-6340216-\$ or US-6126274-\$ or US-6116718-\$ or US-6328393-\$ or US-6299941-\$ or US-6277183-\$ or US-6276792-\$ or US-6184268-\$ or US-5764247-\$ or US-4801955-\$ or US-4801954-\$ or US-4673951-\$ or US-4364057-\$). did.) and ((platen or substrate) same (charge or polarized or attract)) and (insulate or insulation or dielectric) and laser and photosensitive	USPAT	OR	OFF	2008/05/15 16:42
S73	1	US-6096468-\$	USPAT	OR	OFF	2008/05/19 08:27

S74	6	((US-5278583-\$ or US-6899751-\$ or US-6470799-\$ or US-4734705-\$ or US-4333086-\$ or US-6096468-\$ or US-6623113-\$ or US-6562099-\$ or US-6513909-\$ or US-5489929-\$ or US-3596275-\$ or US-6340216-\$ or US-6126274-\$ or US-6116718-\$ or US-6328393-\$ or US-6299941-\$ or US-6277183-\$ or US-6276792-\$ or US-6184268-\$ or US-5764247-\$ or US-4801955-\$ or US-4801954-\$ or US-4673951-\$ or US-4364057-\$). did.) and laser	USPAT	OR	OFF	2008/05/19 17:38
-----	---	--	-------	----	-----	---------------------

5/20/2008 9:45:34 AM

C:\Documents and Settings\awitkowski\My Documents\EAST\Workspaces\10567710.wsp